

Asthma Treatments Referral Form

2 Penns Way, Ste#404 New Castle, DE 19720 Phone: (877) 246-9104 Fax: (800) 783-9146

PATIENT INFORMATION (Complete or fax existing chart)	PRESCRIBER INFORMATION
Patient Name:	Prescriber Name:
Address:	State License: NPI #:
City, State, Zip:	DEA: Phone:
Phone: 2 nd Phone:	Address:Fax:
Thone 2 Thone.	
DOR: Condor: M F Last 4 S S:	City, State, Zip:Phone:
DOB: Gender: M F Last 4 S.S: Weight: Ht: Allergies:	Contact Person Priorie
INSURANCE INFORMATION - INSTEAD - just send us a copy of the patients prescription / insurance cards (front & back)	
Primary Insurance:	RX Card (PBM):
City, State, Zip:	BIN: PCN:
Plan #:	City, State, Zip:
Group #:	Group #:
Phone:	Phone:
DIAGNOSIS /CLINICAL INFORMATION	
☐ J45.40 Moderate Persistent Asthma, Uncomplicated	☐ M30.1 Polyarteritis with lung involvement [Churg-Strauss]
☐ J45.50 Severe persistent asthma, uncomplicated	☐ J33.9 Nasal Polyps, Unspecified ☐ J33.0 Polyp of Nasal Cavity
☐ J45.51 Severe persistent asthma with (acute) exacerbation	☐ L50.1 Idiopathic urticaria
Eosinophil Count: cells/μL Date of Test:	☐ Other:
Needs by Date: Ship to: Patient Office	e Other:
Lab Orders:	
Fasenra	
☐ FASENRA® (benralizumab) 30 mg/mL single-dose prefilled	☐ Loading Dose 30 mg/mL solution in a single dose administered by
syringe (administered by healthcare professional)	subcutaneous injection once every 4 weeks for 3 doses QTY:Refills:
□FASENRA Pen™ (benralizumab) 30 mg/mL single-dose	☐ Maintenance Dose 30 mg/mL solution in a single dose administered by
autoinjector (Self administered)	subcutaneous injection once every 8 weeks – QTY: Refills:
Nucala	
□ Prefilled syringe □ Vial □ Pen	
☐ Inject 100 mg subcutaneously once every 4 weeks	
☐ Inject 300 mg (3 separate 100 mg injections) subcutaneously once every 4 weeks	
☐ Inject mg (separate 100 mg injections) subcutaneously once every weeks	
Dupixent Pre-filled syringe, package of 2	
□Initial dose: 400 mg SIG: 2 (200 mg/1.14 mL) injections SQ on I	Day 1 ☐ Initial dose: 600 mg SIG: 2 (300 mg/2 mL) injections SQ on Day 1
Subsequent (maintenance) dose: 200 mg Subsequent (maintenance) dose: 300 mg	
SIG: 1 (200 mg/1.14 mL) injection SQ every 2 weeks, starting on Day 15 SIG: 1 (300 mg/2 mL) injection SQ every 2 weeks, starting on Day 15	
Other: Initial: Subsequent: Dose Frequency	
QTY: pk (2 syringes) Refills	
Xolair	
☐ Prefilled syringe ☐ Vial Prescription Type: ☐ New start ☐	Restart Continued Tx Last injection date:
SIG □ 75 mg/dose every 4 weeks SIG □ 150 mg/d	ose every 4 weeks SIG □ 225 mg/dose every 4 weeks
SIG □ 300 mg/dose every 4 weeks SIG □ 225 mg/d	ose every 2 weeks SIG □ 300 mg/dose every 2 weeks
SIG □ 375 mg/dose every 2 weeks	
SIGNATURE	
We hereby authorize Biotek Remedys to provide all supplies and additional services (nursing/patient training) required to provide and deliver	
the medicine as prescribed in this referral	
X	Date:
Product Substitution Permitted	

CONFIDENTIALITY STATEMENT: This facsimile and documents accompanying this transmission contain confidential health information that is legally privileged. This information is intended only for the use of the individual or entity named above. The authorized recipient of this information is prohibited from disclosing this information to any other party unless required to do so by law or regulation.